## NARMADA

Test Booklet Code

Do not open this Test Booklet until you are asked to do so.

This Booklet contains 32 pages, including Rough Page.

**ENGLISH** 


## Important Instructions:

- The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.
- The test is of 3 hours duration and the Test Booklet contains 180 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
- Wherever the symbols/constants are not mentioned, they are to be considered as per their standard meaning/ value.
- Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer Sheet.
- Rough work is to be done in the space provided for this 6. purpose in the Test Booklet only.
- On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/ Hall. The candidates are allowed to take away this Test Booklet with them.
- The CODE for this Booklet is "47". Make sure to enter this code in the OMR answer sheet.

- The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/ Answer Sheet.
- 10. Use of white fluid for correction is NOT permissible on the Answer Sheet.
- Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 12. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 14. Use of Electronic/Manual Calculator is prohibited.
- 15. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination along with Public Examinations (Prevention of unfair means act 2024).
- 16. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
- 18. If a candidate marks more than one answers for a question in the OMR Sheet, it will be treated as incorrect and negative marking will be applicable.

		的 / 另外的政策的对
Name of the Candidate (in Capitals):		
Roll Number : in figures.	.,	
: in words.		
Centre of Examination (in Capitals): 4		
Candidate's Signature :	Invigilator's Signature :	
Facsimile signature stamp of Centre Superintender		[Contd
47 English ]		

1 The current passing through the battery in the given circuit, is:



- (1) 1.5 A
- (2) 2.0 A
- (3) 0.5 A
- (4) 2.5 A
- The electric field in a plane electromagnetic 2 wave is given by

$$E_z = 60\cos(5x + 1.5 \times 10^9 t)V/m$$
.

Then expression for the corresponding magnetic field is (here subscripts denote the direction of the field):

- (1)  $B_y = 60 \sin (5x + 1.5 \times 10^9 t)T$
- (2)  $B_y = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$
- (3)  $B_x = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$ (4)  $B_z = 60 \cos (5x + 1.5 \times 10^9 t)T$
- 3 A pipe open at both ends has a fundamental frequency f in air. The pipe is now dipped vertically in a water drum to half of its length. The fundamental frequency of the air column is now equal to:


charge 1.6×10<sup>-19</sup>C) moving with speed c/100 (c = speed of light) is injected into a magnetic field  $\vec{B}$  of magnitude  $9 \times 10^{-4}$  T perpendicular

An electron (mass 9×10<sup>-31</sup> kg and

to its direction of motion. We wish to apply an uniform electric field E together with the magnetic field so that the electron does not deflect from its path. Then (speed of light  $c = 3 \times 10^8 \text{ ms}^{-1}$ 

- $\overrightarrow{E}$  is parallel to  $\overrightarrow{B}$  and its magnitude is 27×10<sup>4</sup> V m<sup>-1</sup>
- E is perpendicular to B and its magnitude is  $27 \times 10^4 \text{ V } m^{-1}$
- (3)  $\overrightarrow{E}$  is perpendicular to  $\overrightarrow{B}$  and its magnitude is 27×10<sup>2</sup> V m<sup>-1</sup>
- (4) E is parallel to B and its magnitude is 27×10<sup>2</sup> V m<sup>-1</sup>
- 5 In a certain camera, a combination of four similar thin convex lenses are arranged axially in contact. Then the power of the combination and the total magnification in comparison to the power (p) and magnification (m) for each lens will be, respectively -
  - (1)  $p^4$  and  $m^4$
- (2) 4p and 4m
- (3)  $p^4$  and 4m
- (4) 4p and  $m^4$
- A 2 amp current is flowing through two 6 different small circular copper coils having radii ratio 1:2. The ratio of their respective magnetic moments will be
  - (1) 4:1
- (3) 1:2

The current passing through the battery in the given circuit, is:



- (1)  $1.5_A$
- (2) 2.0 A
- (3) 0.5 A
- (4) 2.5 A
- The electric field in a plane electromagnetic wave is given by

$$E_z = 60\cos(5x + 1.5 \times 10^9 t)V/m$$
.

Then expression for the corresponding magnetic field is (here subscripts denote the direction of the field):


- (1)  $B_y = 60 \sin (5x + 1.5 \times 10^9 t)T$
- (2)  $B_y = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$
- (3)  $B_x = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$
- (4)  $B_z = 60\cos(5x + 1.5 \times 10^9 t)T$
- A pipe open at both ends has a fundamental frequency f in air. The pipe is now dipped vertically in a water drum to half of its length. The fundamental frequency of the air column is now equal to:
  - (1) 2f
- (2)  $\frac{f}{2}$
- (3) f
- (4)  $\frac{3f}{2}$
- 47\_English]

- An electron (mass  $9 \times 10^{-31}$  kg and charge  $1.6 \times 10^{-19}$ C) moving with speed c/100 (c = speed of light) is injected into a magnetic field B of magnitude  $9 \times 10^{-4}$  T perpendicular to its direction of motion. We wish to apply an uniform electric field E together with the magnetic field so that the electron does not deflect from its path. Then (speed of light
  - (1)  $\stackrel{\rightarrow}{E}$  is parallel to  $\stackrel{\rightarrow}{B}$  and its magnitude is  $27 \times 10^4$  V m<sup>-1</sup>

 $c = 3 \times 10^8 \text{ ms}^{-1}$ 

- (2)  $\stackrel{\rightarrow}{E}$  is perpendicular to  $\stackrel{\rightarrow}{B}$  and its magnitude is  $27 \times 10^4 \text{ V m}^{-1}$
- (3)  $\overrightarrow{E}$  is perpendicular to  $\overrightarrow{B}$  and its magnitude is  $27 \times 10^2$  V m<sup>-1</sup>
- (4)  $\stackrel{\rightarrow}{E}$  is parallel to  $\stackrel{\rightarrow}{B}$  and its magnitude is  $27 \times 10^2$  V m<sup>-1</sup>
- In a certain camera, a combination of four similar thin convex lenses are arranged axially in contact. Then the power of the combination and the total magnification in comparison to the power (p) and magnification (m) for each lens will be, respectively
  - (1)  $p^4$  and  $m^4$
- (2) 4p and 4m
- (3)  $p^4$  and 4m
- (4) 4p and  $m^4$
- A 2 amp current is flowing through two different small circular copper coils having radii ratio 1:2. The ratio of their respective magnetic moments will be
  - (1) 4:1
- (2) 1:4
- (3) 1:2
- (4) 2:1

A constant voltage of 50 V is maintained between the points A and B of the circuit shown in the figure. The current through the branch CD of the circuit is:



- (1) 3.0 A
- (2) 1.5 A
- (3) 2.0 A
- (4) 2.5 A
- Two gases A and B are filled at the same pressure in separate cylinders with movable pistons of radius  $r_A$  and  $r_B$ , respectively. On supplying an equal amount of heat to both the systems reversibly under constant pressure, the pistons of gas A and B are displaced by 16 cm and 9 cm, respectively. If the change in their internal energy is the same, then the ratio


 $r_A/r_B$  is equal to

- (1)  $\frac{\sqrt{3}}{2}$
- $(2) \frac{4}{3}$
- (3)  $\frac{3}{4}$
- $(4) \quad \frac{2}{\sqrt{3}}$
- A container has two chambers of volumes  $V_1 = 2$  litres and  $V_2 = 3$  litres separated by a partition made of a thermal insulator. The chambers contains  $n_1 = 5$  and  $n_2 = 4$  moles of ideal gas at pressures  $p_1 = 1$  atm and  $p_2 = 2$  atm, respectively. When the partition is removed, the mixture attains an equilibrium pressure of:
  - (1) 1.8 atm
- (2) 1.3 atm
- (3) 1.6 atm
- (4) 1.4 atm
- 47 English ]

- The radius of Martian orbit around the Sun is about 4 times the radius of the orbit of Mercury. The Martian year is 687 Earth days. Then which of the following is the length of 1 year on Mercury?
  - (1) 124 earth days
  - (2) 88 earth days
  - (3) 225 earth days
  - (4), 172 earth days
- 11 To an ac power supply of 220 V at 50 Hz, a resistor of  $20 \Omega$ , a capacitor of reactance  $25 \Omega$  and an inductor of reactance  $45 \Omega$  are connected in series. The corresponding current in the circuit and the phase angle between the current and the voltage is, respectively.
  - (1) 15.6 A and 45°
  - (2) 7.8 A and 30°
  - (3) 7.8 A and 45°
  - (4) 15.6 A and 30°
- A wire of resistance R is cut into 8 equal pieces. From these pieces two equivalent resistances are made by adding four of these together in parallel. Then these two sets are added in series. The net effective resistance of the combination is:
  - $(1) \quad \frac{R}{8}$
- $(2) \quad \frac{R}{64}$

U)

- (3)
- $(4) \quad \frac{R}{16}$
- The output (Y) of the given logic implementation is similar to the output of an/a gate.



- (1) NOR
- (2) AND
- (3) NAND
- (4) OR

- 14 Two identical charged conducting spheres A and B have their centres separated by a certain distance. Charge on each sphere is q and the force of repulsion between them is F. A third identical uncharged conducting sphere is brought in contact with sphere A first and then with B and finally removed from both. New force of repulsion between spheres A and B (Radii of A and B are negligible compared to the distance of separation so that for calculating force between them they can be considered as point charges) is best given as:

- Consider the diameter of a spherical object 15 being measured with the help of a Vernier callipers. Suppose its 10 Vernier Scale Divisions (V.S.D.) are equal to its 9 Main Scale Divisions (M.S.D.). The least division in the M.S. is 0.1 cm and the zero of V.S. is at x = 0.1 cm when the jaws of Vernier callipers are closed.

If the main scale reading for the diameter is M = 5 cm and the number of coinciding vernier division is 8, the measured diameter after zero error correction, is

- (1) 5.00 cm
- (2) 5.18 cm
- (3) 5.08 cm
- (4) 4.98 cm
- In some appropriate units, time (t) and position 16 (x) relation of a moving particle is given by  $t = x^2 + x$ . The acceleration of the particle is

(1) 
$$+\frac{2}{2x+1}$$
 (2)  $-\frac{2}{(x+2)^3}$ 


(2) 
$$-\frac{2}{(x+2)^3}$$


(3) 
$$-\frac{2}{(2x+1)^3}$$


$$\frac{2}{(2x+1)^3}$$
 (4)  $+\frac{2}{(x+1)^3}$ 


47 English ]

Which of the following options represent the 17 variation of photoelectric current with property of light shown on the x-axis?











- (1) B and D
- A only
- A and O
- (4) A and D

- A particle of mass *m* is moving around the origin with a constant/force *F* pulling it towards the origin. If **Mo**hr model is used to describe its motion, the **mil**lius *r* of the *n*<sup>th</sup> orbit and the particle's speed'd in the orbit depend on *m* as
  - (1)  $r \propto n^{4/3}$ ;  $v \propto n^{1/3}$
  - (2)  $r \propto n^{1/3}$ ;  $v \propto n^{1/3}$
  - (3)  $r \propto n^{1/3}$ ;  $v \propto n^{2/3}$
  - (4) PRH2/3; PRHM3
- A bob of heavy mass m is suspended by a light string of length l. The bob is given a horizontal velocity  $v_0$  as shown in figure. If the string gets slack at some point P making an angle  $\theta$  from the horizontal, the ratio of the speed  $v_0$  is:



- $(1) \left(\frac{\sin\theta}{2+3\sin\theta}\right)^{1/2}$
- (2)  $(\sin\theta)^{1/2}$
- $(3) \left(\frac{1}{2+3\sin\theta}\right)^{1/2} \quad \infty$
- $(4) \left(\frac{\cos\theta}{2+3\sin\theta}\right)^{1/2}$

20 A full wave rectifier effect with diodes  $(D_1)$  and  $(D_2)$  is shown in the figure. If input supply voltage  $V_{in} = 220 \sin{(100 \pi t)}$  volt, then at t = 15 msec



- (1)  $D_1$  and  $D_2$  both are reverse biased
- (2)  $D_1$  is forward biased,  $D_2$  is reverse biased
- (3)  $D_1$  is reverse biased,  $D_2$  is forward biased
- (4)  $D_1$  and  $D_2$  both are forward biased
- A balloon is made of a material of surface tension S and its inflation outlet (from where gas is filled in it) has small area A. It is filled with a gas of density  $\rho$  and takes a spherical shape of radius R. When the gas is allowed to flow freely out of it, its radius r changes from R to 0 (zero) in time T. If the speed v(r) of gas coming out of the balloon depends on r as  $r^a$  and  $T \propto S^\alpha A^\beta \rho^\gamma R^\delta$  then

(1) 
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = \frac{1}{2}, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

(2) 
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = \frac{1}{2}, \gamma = +1, \delta = \frac{3}{2}$$

(3) 
$$a = -\frac{1}{2}, \alpha = -\frac{1}{2}, \beta = -1, \gamma = -\frac{1}{2}, \delta = \frac{5}{2}$$

(4) 
$$a = -\frac{1}{2}, \alpha = -\frac{1}{2}, \beta = -1, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

- 22 A microscope has an objective of focal length 2 cm, eyepiece of focal length 4 cm and the tube length of 40 cm. If the distance of distinct vision of eye is 25 cm, the magnification in the microscope is
  - (1) 250
- (2) 100
- (3) 125
- (4) 150
- Two identical point masses P and Q, suspended from two separate massless springs of spring constants  $k_1$  and  $k_2$ , respectively, oscillate vertically. If their maximum speeds are the same, the ratio  $(A_Q/A_P)$  of the amplitude  $A_Q$ of mass Q to the amplitude  $A_P$  of mass P is:

- 24 A parallel plate capacitor made of circular plates is being charged such that the surface charge density on its plates is increasing at a constant rate with time. The magnetic field arising due to displacement current is:
  - zero between the plates and non-zero outside
  - zero at all places
  - constant between the plates and zero outside the plates
  - (4) non-zero everywhere with maximum at the imaginary cylindrical surface connecting peripheries of the plates
- An electric dipole with dipole moment 25  $5 \times 10^{-6}$  Cm is aligned with the direction of a uniform electric field of magnitude  $4 \times 10^5$  N/C. The dipole is then rotated through an angle of 60° with respect to the electric field. The change in the potential energy of the dipole is:
  - (1) 1.5 J
- (2) 0.8 J
- (3) 1.0 J
- (4) 1.2 J
- 47\_English

- There are two inclined surfaces of equal length (L) and same angle of inclination 45° with the horizontal. One of them is rough and the other is perfectly smooth. A given body takes 2 times as much time to slide down on rough surface than on the smooth surface. The coefficient of kinetic friction  $(\mu_k)$  between the object and the rough surface is close to
  - (1) 0.75
- (2) 0.25
- (3) 0.40
- (4) 0.5
- De-Broglie wavelength of an electron orbiting 27 in the n = 2 state of hydrogen atom is close to (Given Bohr radius = 0.052 nm)
  - (1) 2.67 nm
- $(2) \quad 0.067 \ nm$
- (3) 0.67 nm
- (4) 1.67 nm
- The Sun rotates around its centre once in 28 27 days. What will be the period of revolution if the Sun were to expand to twice its present radius without any external influence? Assume the Sun to be a sphere of uniform density.
  - (1) 108 days
- (2) 100 days
- (3) 105 days
- (4) 115 days
- A physical quantity P is related to four 29 observations a, b, c and d as follows:

$$P = a^3b^2 / c\sqrt{d}$$

The percentage errors of measurement in a, b, c and d are 1%, 3%, 2%, and 4% respectively. The percentage error in the quantity P is

- (1) 15%
- (2) 10%
- (3) 2%
- (4) 13%
- The plates of a parallel plate capacitor are 30 separated by d. Two slabs of different dielectric

constant  $K_1$  and  $K_2$  with thickness  $\frac{3}{8}d$  and  $\frac{d}{2}$ ,

respectively are inserted in the capacitor. Due to this, the capacitance becomes two times larger than when there is nothing between the plates.

If  $K_1 = 1.25 K_2$ , the value of  $K_1$  is:

- (1) 1.33
- (2) 2.66
- (3) 2.33

6


(4) 1.60

- A ball of mass 0.5 kg is dropped from a height of 40 m. The ball hits the ground and rises to a height of 10 m. The impulse imparted to the ball during its collision with the ground is (Take  $g = 9.8 \text{ m/s}^2$ )
  - (1) 84 NS
- (2) 21 345
- (3) 7 NS
- (4) 0
- Two cities X and Y are connected by a regular bus service with a bus leaving in either direction every T min. A girl is driving scooty with a speed of 60 km/h in the direction X to Y notices that a bus goes past her every 30 minutes in the direction of her motion, and every 10 minutes in the opposite direction. Choose the correct option for the period T of the bus service and the speed (assumed constant) of the buses.
  - (1) 15 min, 120 km/h
  - (2) 9 min. 40 km/h
  - (3) 25 min, 100 km/h
  - (4) 10 min, 90 km/h
- An oxygen cylinder of volume 30 litre has 18.20 males of oxygen. After some oxygen is. withdrawn from the cylinder, its gauge pressure drops to 11 atmospheric pressure at temperature 27°C. The mass of the oxygen withdrawn from the cylinder is nearly equal to:

[Given,  $R = \frac{100}{12} J mol^{-1} K^{-1}$ , and


molecular mass of  $O_2 = 32$ ,

- (1) 0.156 kg
- 1 atm pressure =  $1.01 \times 10^5 N/m$ ] (2) 0.125 kg
- (3) 0.144 kg
- (4) 0.116 kg
- AB is a part of an electrical circuit (see figure). The potential difference " $V_A - V_B$ ", at the instant when current i = 2 A and is increasing at a rate of 1 amp / second is:




- (1) 10 volt
- (2) 5 volt
- (3) 6 volt
- (4) 9 volt
- 47 English ]

In an oscillating spring mass system, a spring is connected to a box filled with sand. As the how oscillates, sand leaks slowly out of the box wertically so that the average frequency of r) and average amplifude A(t) of the system change with time t. Which one of the following options schematically depicts these changes correctly?



- 36 A model for quantized motion of an electron in a uniform magnetic field B states that the flux passing through the orbit of the electron is n(h/e) where n is an integer, h is Planck's constant and e is the magnitude of electron's charge. According to the model, the magnetic moment of an electron in its lowest energy state will be (m is the mass of the electron)
  - (1) $2\pi m$
- he πm

- A body weighs 48 N on the surface of the 37 earth. The gravitational force experienced by the body due to the earth at a height equal to one-third the radius of the earth from its surface is:
  - (1) 36 N
- (2) 16 N
- (3) 27 N
- (4) 32 N
- Consider a water tank shown in the figure. 38 It has one wall at x = L and can be taken to be very wide in the z direction. When filled with a liquid of surface tension Sand density  $\rho$ , the liquid surface makes angle  $\theta_0(\theta_0 << 1)$  with the x-axis at x = L. If y(x) is the height of the surface then the equation for y(x) is:



- (take  $\theta(x) = \sin \theta(x) = \tan \theta(x) = \frac{dy}{dx}$ , g is the acceleration due to gravity)
- (1)  $\frac{dy}{dx} = \sqrt{\frac{\rho g}{S}}x$  (2)  $\frac{d^2y}{dx^2} = \frac{\rho g}{S}x$
- (3)  $\frac{d^2y}{dx^2} = \frac{\rho g}{S}y$  (4)  $\frac{d^2y}{dx^2} = \sqrt{\frac{\rho g}{S}}$

- The intensity of transmitted light when a polaroid sheet, placed between two crossed polaroids at 22.5° from the polarization axis of one of the polaroid, is  $(I_0 \text{ is the intensity of } I_0 \text{ is the intensity of } I_0 \text{ in the intensity of } I_0 \text{ is the i$ polarised light after passing through the first polaroid):
  - (1)  $\frac{I_0}{16}$
- (3)  $\frac{I_0}{4}$
- A photon and an electron (mass m) have 40 same energy The E.  $(\lambda_{photon}/\lambda_{electron})$  of their de Broglie wavelengths is: (c is the speed of light)


- (2)  $\sqrt{\frac{E}{2m}}$   $\sim$  (4)  $c\sqrt{\frac{2m}{E}}$
- An unpolarized light beam travelling in air is incident on a medium of refractive index 1.73 at Brewster's angle. Then-
  - (1) transmitted light is completely polarized with angle of refraction close to 300
  - (2) reflected light is completely polarized and the angle of reflection is close to 60°
  - (3) reflected light is partially polarized and the angle of reflection is close to 30°
  - (4) both reflected and transmitted light are perfectly polarized with angles of reflection and refraction close to 60° and 30°, respectively.
- 42 A uniform rod of mass 20 kg and length 5 m leans against a smooth vertical wall making an angle of 60° with it. The other end rests on a rough horizontal floor. The friction force that the floor exerts on the rod is  $(take g = 10 m/s^2)$ 
  - (1)  $200\sqrt{3}$  N
- (2) 100 N
- (3)  $100\sqrt{3} \text{ N}$

43 Three identical heat conducting rods are connected in series as shown in the figure. The rods on the sides have thermal conductivity 2Kwhile that in the middle has thermal conductivity K. The left end of the combination is maintained at temperature 3T and the right end at T. The rods are thermally insulated from outside. In steady state, temperature at the left junction is  $T_1$  and that at the right junction is  $T_2$ . The ratio  $T_1/T_2$  is

	1	S		L 2.	
3 <i>T</i>		2 <i>K</i>	K	2 <i>K</i>	T
	1	. 7	71	$T_2$	

- The kinetic energies of two similar cars A and 44 B are 100 J and 225 J respectively. On applying breaks, car A stops after 1000 m and car B stops after 1500 m. If  $F_A$  and  $F_B$  are the forces applied by the breaks on cars A and B, respectively, then the ratio  $F_A/F_B$  is  $(1) \frac{1}{2} \qquad (2) \frac{3}{2}$

- A sphere of radius R is cut from a larger solid 45 sphere of radius 2R as shown in the figure. The ratio of the moment of inertia of the smaller sphere to that of the rest part of the sphere about the Y-axis is:



- 47\_English ]

If the molar conductivity  $(\Lambda_m)$  of a  $0.050 \; \text{mol} \; L^{-1}$  solution of a monobasic weak acid is 90 S cm<sup>2</sup> mol<sup>-1</sup>, its extent (degree) of dissociation will be

[Assume  $\Lambda_+^{\circ} = 349.6 \,\mathrm{S}\,\mathrm{cm}^2\,\mathrm{mol}^{-1}$  and

 $\Lambda_{-}^{\circ} = 50.4 \,\mathrm{S} \,\mathrm{cm}^2 \,\mathrm{mol}^{-1}.$ 

- (1) 0.215
- (2) 0.115
- (3) 0.125
- (4) 0.225

47 Given below are two statements un

> Statement I: A hypothetical diatomic molecule with bond order zero is quite stable.

Statement II: As bond order increases, the bond length increases.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is false but Statement II
- (2) Both Statement I and Statement II are true
- (3) Both Statement I and Statement II are false
- (4) Statement I is true but Statement II is false

The ratio of the wavelengths of the light 48 absorbed by a Hydrogen atom when it undergoes  $n = 2 \rightarrow n = 3$  and  $n = 4 \rightarrow n = 6$ transitions, respectively, is

Contd...

The correct order of the wavelength of light absorbed by the following complexes is,

A. 
$$\left[\operatorname{Co}(\operatorname{NH}_3)_6\right]^{3+}$$

B. 
$$\left[\operatorname{Co(CN)}_{6}\right]^{3-}$$

C. 
$$\left[\operatorname{Cu}(H_2O)_4\right]^{2+}$$

D. 
$$[Ti(H_2O)_6]^{3+}$$

Choose the correct answer from the options given below:

- (1) C < A < D < B
- (2) B < D < A < C
- (3) B < A < D < C
- (4) C < D < A < B
- 50 If the rate constant of a reaction is 0.03 s<sup>-1</sup>, how much time does it take for 7.2 mol L<sup>-1</sup> concentration of the reactant to get reduced to 0.9 mol L<sup>-1</sup>?

(Given:  $\log 2 = 0.301$ )

- (1) 21.0 s
- (2) 69.3 s
- (3) 23.1 s
- (4) 210 s

I.

51 Match List I with List II

# List I (Mixture)

# List II (Method of Separation)

- A.  $CHCl_3 + C$   $C_6H_5NH_2$
- Distillation under reduced pressure
- B. Crude oil in petroleum industry
- II. Steam distillation
- C. Glycerol from spent-lye
- III. Fractional distillation

distillation

- D. Aniline water
- IV. Simple

Choose the **correct** answer from the options given below

- (1) A-III, B-IV, C-II, D-I
- (2) A-IV, B-III, C-I, D-II
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-IV, C-I, D-II
- 47 English |

The major product of the following reaction is:

$$CN \xrightarrow{\text{(ii) } CH_3MgBr} (excess)$$


$$(2) \bigcirc CH_3 \bigcirc OH \bigcirc CN$$

$$(3) \begin{array}{c} CH_3 & OH \\ CH_3 & OH \\ OH & CH_3 \end{array}$$

- Which one of the following compounds car exist as cis-trans isomers?
  - (1) 1,2-Dimethylcyclohexane
  - (2) Pent-1-ene
  - (3) 2-Methylhex=2-ene
  - (4) 1,1-Dimethyleyclopropane
- Among the following, choose the ones with equal number of atoms.
  - A. 212 g of  $Na_2CO_3$  (s) [molar mass = 106 g]
  - B. 248 g of  $Na_2$  (s) [molar mass = 62 g]
  - C. 240 g of NaOH (s) [molar mass = 40 g]
  - D.  $12 \text{ g of H}_2(g) \text{ [molar mass} = 2 \text{ g]}$
  - E. 220 g of CO<sub>2</sub>(g) [molar mass = 44 g] Choose the **correct** answer from the options
  - given below:
    (1) B, D, and Roonly
  - (2) A, B, and Conly
  - (3) A, B, and D only
  - (4) B, C, and D only

[ Contd...

Among the given compounds I-III, the correct order of bond dissociation energy of C-H bond marked with \* is:



- (1) || > || | > |
- (2) II > I > III
- (3) I > II > III
- (4) III > II > I
- 56 The standard heat of formation, in kcal/mol of Ba<sup>2+</sup> is

[Given: standard heat of formation of  $SO_4^{2-}$  ion (aq) = -216 kcat/mol, standard heat of crystallisation of

 $BaSO_4(s) = -4.5$  kcal/mol, standard heat of formation of  $BaSO_4(s) = -349$  kcal/mol]

- (1) + 220.5 (2) 1
- (3) 133.0 (4) + 133.0
- 57 Consider the following compounds:

 $\underline{KO}_2$ ,  $\underline{H_2O}_2$  and  $\underline{H_2SO}_4$ .

The oxidation states of the underlined elements in them are, respectively,

- (1) +4, -4, and +6
- (2) +1, -1, and +6
- (3) +2, -2, and +6
- (4) +1, -2, and +4

- Out of the following complex compounds, which of the compound will be having the minimum conductance in solution?
  - (1) [Co(NH<sub>3</sub>)<sub>5</sub> G]CI
  - (2)  $\left[\operatorname{Co}(\operatorname{NH}_3)_3 \left( \begin{array}{c} \bullet \\ \bullet \end{array} \right]$
  - (3)  $\left[\operatorname{Co}(\operatorname{NH}_3)_4\operatorname{Cl}_2\right]$
  - (4)  $\left[\operatorname{Co}(\operatorname{NH}_3)_6\right] \operatorname{Cl}_3$
- 59 Which one of the following reactions does NOT give benzene as the product?

  - (2)  $C O N \frac{sodalime}{\Delta}$
  - (3) n-hexane Mo<sub>2</sub>O<sub>3</sub>
    773K, 10 20 atm.
  - (4) H-C≡C-H red hot Iron Tube

    (7) at 873 K

    (7)
- 60 Which of the following are paramagnetic?
  - A.  $[NiCl_4]^{2-}$  B.  $Ni(CO)_4$
  - C.  $[Ni(CN)_4]^{2-1}$  D.  $[Ni(H_2O)_6]^{2+1}$
  - E.  $Ni(PPh_3)_4$

Choose the correct answer from the options given below:

- (1) A, D and E only
- (2) A and C only
- (3) B and E only
- (4) A and D only

| Contd...

- Which one of the following compounds does 61 not decolourize bromine water?
  - $NH_2$
  - (2)
- 62 Match List - I with List - II

## List-I

## List-II

- A. Haber process
- Fe catalyst
- Wacker oxidation
- II. PdCl<sub>2</sub>

1.

- C. Wilkinson catalyst
  - III. [(PPh<sub>3</sub>)<sub>3</sub>RhCl]
- D. Ziegler catalyst
- IV. TiCl<sub>4</sub> with

Al(CH<sub>3</sub>)<sub>3</sub>

Choose the correct answer from the options given below:

- (1) A-I, B-IV, C-III, D-II
- (2) A-I, B-II, C-IV, D-III
- (3) A-II, B-III, C-I, D-IV
- (4) A-I, B-II, C-III, D-IV
- Match List I with List II. 63

List I

List II

(Name of

(Deficiency

Vitamin)

disease)

- A. Vitamin B<sub>12</sub>
- Cheilosis
- B. Vitamin D
- II.
- Vitamin B
- Convulsions III. Rickets
- Vitamin B
- IV. Pernicious anaemia

Choose the correct answer from the options given below:

I.

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-III, C-II, D-IV
- (3) A-IV, B-III, C-I, D-II
- (4) A-II, B-III, C-I, D-IV

Given below are two statements: 64

Statement I: Ferromagnetism is considered as an extreme form of paramagnetism.

Statement II: The number of unpaired  $Cr^{2+}$  ion (Z = 24) is unpairedStatement a Cr<sup>2+</sup> ion (Z = 24) is the same

In the light of the above statements, choose the correct answer from the options given below.

- (1) Statement I is false but Statement II is true
- (2) Both Statement I and Statement II are true
- (3) Both Statement I and Statement II are false
- (4) Statement I is true but Statement II is false
- If the half-life  $(t_{1/2})$  for a first order reaction 65 is 1 minute, then the time required for 99.9% completion of the reaction is closest to:
  - (1) 10 minutes
- (2) 2 minutes
- (3) 4 minutes
- (4) 5 minutes

- The correct order of decreasing basic strength 66 of the given amines is:
  - (1) benzenamine > ethanamine > N-methylaniline > N-ethylethanamine
  - (2) N-methylaniline > benzenamine > ethanamine > N-ethylethanamine
  - (3) N-ethylethanamine > ethanamine > benzenamine > N-methylaniline
  - (4) N-ethylethanamine > ethanamine > N-methylaniline > benzenamine

67 Match List I with List II

List	I
------	---

Dist II

(Ion)

Group Number

in Cation Analysis)

- A. Co<sup>2+</sup>
- I. Group-I
- B. Mg<sup>2+</sup>
- II. Group-III
- C. Pb<sup>2+</sup>
- III. Group-IV
- D. Al3+
- IV. Group-VI

Choose the **correct** answer from the options given below:

- (1) A-III, B-II, C-I, D-IV(1)
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-III, B-II, C-IV, D-I
- 68 Phosphoric acid ionizes in three steps with their ionization constant values

 $K_{a_1}$ ,  $K_{a_2}$  and  $K_{a_3}$ , respectively,

while K is the overall ionization constant.

Which of the following statements are true?

- A.  $\log K = \log K_{a_1} + \log K_{a_2} + \log K_{a_3}$
- B.  $H_3PO_4$  is a stronger acid than  $H_2PO_4$  and  $HPO_4^{2-}$ .
- C.  $K_{a_1} > K_{a_2} > K_{a_3}$
- D.  $K_{a_1} = \frac{K_{a_3} + K_{a_2}}{2}$

Choose the **correct** answer from the options given below:

- (1) A, B and C only
- (2) A and B only
- (3) A and C only
- (4) B, C and D only

- 69 Which of the following statements are true?
  - A. Unlike Ga that has a very high melting point, Cs has a very low melting point.
  - B. On Pauling scale the electronegativity values of N and Chare not the same.
  - C. Ar, K<sup>+</sup>, Cl<sup>-</sup>, Ca<sup>2+</sup>, and S<sup>2-</sup> are all isoelectronic species.
  - The correct order of the first ionization enthalpies of Na, Mg, Al, and
     Si is Si > Al > Mg > Na.
  - E. The atomic radius of Cs is greater than that of Li and Rb.

Choose the correct answer from the options given below:

- (1) A, C, and E only
- (2) A, B, and E only 00
- (3) C and E only
- (4) C and D only
- 70 Given below are two statements:

Statement I: Like nitrogen that can form ammonia, arsenic can form arsine.

Statement II: Antimony cannot form antimony pentoxide.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect

71 Which of the following aqueous solution will exhibit highest boiling point?

- (1)  $0.015M C_6H_{12}O_6$
- (2) 0.01M Urea
- (3) 0.01M KNO<sub>3</sub>
- (4) 0.01M Na<sub>2</sub>SO<sub>4</sub>

[Contd...

Given below are two statements:

Statement 1: Benzenediazonium salt is prepared by the reaction of aniline with nitrous acid at 273 - 278 Kallt decomposes easily in the dry state.

Statement II: Insertion of iodine into the benzene ring is difficult and hence iodobenzene is prepared through the reaction of benzenediazonium salt with KI.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement 1 is incorrect but Statement II is correct
- (2) Both Statement I are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect
- 73 Identify the suitable reagent for the following conversion.

- (1)  $H_2$  / Pd-BaSO
- (2) (i) LiAlH<sub>4</sub>, (ii)  $H^+/H_2O$
- (3) (i)  $AlH(iBu)_2$  (ii)  $H_2O$
- (4) (i) NaBH<sub>4</sub>, (ii)  $H^+/H_2^2$ O
- Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): I undergoes  $S_N^2$  reaction faster than CI.

Reason (R): Iodine is a better leaving group because of its large size.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is **not** the correct explanation of A
- (4) A is true but R is false

- 75 The correct order of decreasing acidity of the
  - (1)  $\text{HCOOH} > (\text{CH}_3)_3\text{CCOOH} > (\text{CH}_3)_2\text{CHCOOH} > \text{CH}_3\text{COOH}$
  - (2)  $(CH_3)_3CCOOH > (CH_3)_2CHCOOH > CH_3COOH > FICOOH$
  - (3)  $CH_3COOH > (CH_3)_2CHCOOH > (CH_3)_3CCOOH > HCOOH$
  - (4)  $HCOOH > CH_3COOH >$   $(CH_3)_2CHCOOH > (CH_3)_3CCOOH$
- 76 Which one of the following reactions does NOT belong to "Lassaigne's test"?

(1) 
$$2CuO + C \xrightarrow{Q} 2Cu + CO_2$$

- (2) Na + C + N  $\xrightarrow{\Delta}$  NaCN
- (3)  $2Na + S \longrightarrow Na_2S$
- $(4) \quad \text{Na} + X \xrightarrow{\Delta} + \text{Na}X$
- How many products (including stereoisomers) are expected from monochlorination of the following compound?

- (1) 6
- (2) 2
- (3) 3
- (4) 5
- 78 Sugar 'X'
  - A. is found in honey.
  - B. is a keto sugar
  - C. exists in  $\alpha$  and  $\beta$  anomeric forms.
  - D. is laevorotatory
  - 'X' is:
  - (1) Sucrose
- (2) D-Glucose
- (3) D-Fructose
- (4) Maltose

- Dalton's Atomic theory could not explain | 79 which of the following?
  - (1) Law of gaseous volume
  - (2) Law of conservation of mass
  - (3) Law of constant proportion
  - (4) Law of multiple proportion
- Higher yield of NO in 80

 $N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$  can be obtained

[ $\Delta H$  of the reaction = + 180.7 kJ mol<sup>-1</sup>]

- higher temperature
- lower temperature В.
- higher concentration of N<sub>2</sub> C.
- higher concentration of O<sub>2</sub> D.

Choose the correct answer from the options given below:

- (1) A, C, D only
- (2) A, D only
- (3) B, C only
- B, C, D only
- Match List I with List II 81

#### List-I

## List-II

- $XeO_3$
- sp<sup>3</sup>d; linear
- XeF<sub>2</sub>
- sp<sup>3</sup>; pyramidal
- XeOF<sub>4</sub>
- III. sp<sup>3</sup>d<sup>3</sup>; distorted

octahedral

- $XeF_6$
- IV. sp<sup>3</sup>d<sup>2</sup>; square

pyramidal

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-I, D-III
- (2) A-II, B-I, C-IV, D-III
- (3) A-II, B-I, C-III, D-IV
- (4) A-IV, B-II, C-III, D-I

Match List - I with List - II 82

List-I

List-II (Type of Solution)

(Example)

- Solid in solid
- Humidity
- Liquid in gas
- В. Alloys
- II. Solid in gas
- Amalgams Smoke
- IV Liquid in solid

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-I, C-IV, D-II
- Energy and radius of first Bohr orbit of 83 He<sup>+</sup> and Li<sup>2+</sup> are

[Given  $R_H = 2.18 \times 10^{-18} J$ ,  $a_0 = 52.9 pm$ ]


- (1)  $E_n(Li^{2+}) = -8.72 \times 10^{-16} J;$  $r_n(Li^{2+}) = 17.6 \text{ pm}$  $E_n(He^+) = -19.62 \times 10^{-16} J;$  $r_n(He^+) = 17.6 \text{ pm}^*$
- (2)  $E_n(Li^{2+}) = -19.62 \times 10^{-18} J;$  $r_n(Li^{2+}) = 17.6 \text{ pm}$  $E_n(He^+) = -8.72 \times 10^{-18} J;$  $r_n(He^+) = 26.4 \text{ pm}^{(4)}$
- (3)  $E_n(Li^{2+}) = -8.72 \times 10^{-18} J;$  $r_n(Li^{2+}) = 26.4 \text{ pm}$  $E_n(He^+) = -19.62 \times 10^{-18} J;$  $r_n(He^+) = 17.6 \text{ pm}^{-1}$
- (4)  $E_n(Li^{2+}) = -19.62 \times 10^{-16} J;$  $r_n(Li^{2+}) = 17.6 \text{ pm}$  $E_n(He^+) = -8.72 \times 10^{-16} J;$  $r_n(He^+) = 26.4 \text{ pm}$
- Which among the following electronic 84 configurations belong to main group elements?
  - A. [Ne]3s<sup>l</sup>
- B. [Ar]3d<sup>3</sup>4s<sup>2</sup>
- C.  $[Kr]4d^{10}5s^25p^5$
- D. [Ar]3d<sup>10</sup>4s<sup>1</sup>
- E.  $[Rn]5f^06d^27s^2$


Choose the correct answer from the option given below:


- (1) A, C and D only (2) B and E only
- (3) A and C only
- (4) D and E only


[Contd...

85  $C(s) + 2H_2(g) \rightarrow CH_4(g); \Delta H = -74.8 \text{ kJ mol}^{-1}$ Which of the following diagrams gives an accurate representation of the above reaction? [R  $\rightarrow$  reactants; P  $\rightarrow$  products]









Predict the major product 'P' in the following sequence of reactions -

(3) 
$$CH_3$$
 (i) HBr, benzoyl peroxide (ii) KCN P (Major)

P (Major)

 $CH_3$  (2)  $CH_3$   $CH_2NH_2$ 
 $CH_3$  (4)  $CH_3$   $CH_3$   $CH_2NH_2$ 

87 Identify the correct orders against the property

A.  $H_2O > NH_3 > CHCl_3 - dipole moment$ 

B. XeF<sub>4</sub> > XeO<sub>3</sub> > XeF<sub>2</sub> - number of lone

C.  $O-H \geqslant C-H > N-O - bond length$ 

D.  $N_2 > O_2 > H_2$  - bond enthalpy

Choose the correct answer from the options given below:

(1) B, C only

(2) A, D only

(3) B, D only

(4) A, C only

88 Total number of possible isomers (both structural as well as stereoisomers) of cyclic ethers of molecular formula C<sub>4</sub>H<sub>8</sub>O is:

(1) 11

(2) 6

(3) 8

(4) 10

89 For the reaction  $A(g) \rightleftharpoons 2B(g)$ , the backward reaction rate constant is higher than the forward reaction rate constant by a factor of 2500, at 1000 K.

[Given:  $R = 0.0831 \text{ L atm mol}^{-1} \text{ K}^{-1}$ ]

K<sub>P</sub> for the reaction at 1000 K is

(1) 0.021

(2) 83.1

(3)  $2.077 \times 10^5$ 

(4) 0.033

90 5 moles of liquid X and 10 moles of liquid Y make a solution having a vapour pressure of 70 torr. The vapour pressures of pure X and Y are 63 torr and 78 torr respectively. Which of the following is true regarding the described solution?

(1) The solution has volume greater than the sum of individual volumes.

(2) The solution shows positive deviation.

(3) The solution shows negative deviation.

(4) The solution is ideal.

- 91 Which of the following is the unit of productivity of an Ecosystem?
  - (1) (KCal m-2)yr-1
  - (2) gm<sup>-2</sup>
  - (13) KCal m-2
  - (4) KCal m<sup>-3</sup>

167

- 92 The first menstruation is called:
  - (1) Ovulation
    - (2) Menopause
    - (3) Menarche
    - (4) Diapause
- 93 Given below are two statements: one is Jabelled as Assertion (A) and the other is Jabelled as Reason (R).
  - Assertion (A): All vertebrates are chordates but all chordates are not vertebrate.
  - Reason (R): The members of subphylum vertebrata possess notochord during the embryonic period, the notochord is replaced by a cartilaginous or bony vertebral column in adults.
  - In the light of the above statements, choose the correct answer from the options given below:
  - (1) A is false but R is true
  - (2) Both A and R are true and R is the correct explanation of A
  - (3) Both A and R are true but R is not the correct explanation of A
    - (4) A is true but R is false
- Genes R and Y follow independent assortment.

  If RRYY produce round yellow seeds and rryy produce wrinkled green seeds, what will be the phenotypic ratio of the F2 generation?
  - (1) Phenotypic ratio 9:7
  - (2) Phenotypic ratio 1:2:1
  - (3). Phenotypic ratio 3:1
  - (4) Phenotypic ratio 9:3:3:1

- 95 Given below are two statements:
  - Statement I: The DNA fragments extracted from gel electrophoresis can be used in construction of recombinant DNA.
  - Statement II: Smaller size DNA fragments are observed near anode while larger fragments are found near the wells in an agarose gel.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but statement II is correct
- (2) Both statement I and statement II
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect
- What is the main function of the spindle fibers during mitosis?
  - (1) To regulate cell growth
  - (2). To separate the chromosomes
  - (3) To synthesize new DNA
  - (4) To repair damaged DNA
- 97 How many meiotic and mitotic divisions need to occur for the development of a mature female gametophyte from the megaspore mother cell in an angiosperm plant?
  - (1) No Meiosis and 2 Mitosis
  - (2) 2 Meiosis and 3 Mitosis
  - (3) 1 Meiosis and 2 Mitosis
  - (4) 1 Meiosis and 3 Mitosis
- 98 Identify the statement that is NOT correct.
  - (1) Constant region of heavy and light chains are located at C-terminus of antibody molecules.
  - (2) Each antibody has two light and two heavy chains.
  - (3) The heavy and light chains are held together by disulfide bonds.
  - (4) Antigen binding site is located at C-terminal region of antibody molecules.

- 99 Consider the following:
  - A. The reductive division for the human female gametogenesis starts earlier than that of the male gametogenesis.
  - B. The gap between the first meiotic division and the second meiotic division is much shorter for males compared to females.
  - The first polar body is associated with the formation of the primary oocyte.
  - D. Luteinizing Hormone (LH) surge leads to disintegration of the endometrium and onset of menstrual bleeding.

Choose the **correct** answer from the options given below:

- (1) B and C are true
- (2) A and B are true
- (3) A and C are true
- (4) B and D are true
- 100 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Cells of the tapetum possess dense cytoplasm and generally have more than one nucleus.

Reason (R): Presence of more than one nucleus in the tapetum increases the efficiency of nourishing the developing microspore mother cells.

In light of the above statements, choose the most appropriate answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is NOT the correct explanation of A
- (4) A is true but R is false

101 The blue and white selectable markers have been developed which differentiate recombinant colonies from non-recombinant colonies on the basis of their ability to produce colour in the presence of a chromogenic substrate.

Given below are two statements about this method:

Statement I: The blue coloured colonies have DNA insert in the plasmid and they are identified as recombinant colonies.

Statement II: The colonies without blue colour have DNA insert in the plasmid and are identified as recombinant colonies.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect
- 102 In bryophytes, the gemmae help in which one of the following?
  - (1) Gaseous exchange
  - (2) Sexualtreproduction
  - (3) Asexual reproduction
  - (4) Nutrient absorption
- 103 Match List I with List II.

A. Adenosine I. Nitrogen base


B. Adenylic acid II. Nucleotide
C. Adenine III. Nucleotide

D. Alanine VIII. Nucleoside

Choose the option with all correct matches.

- (1) A-II, B-III, C-I, D-IV
- (2) A-III, B-IV, G-II, D-I
- (3) A-III, B-II, C-IV, D-I
- (4) A-III, B-II, C-I, D-IV

With the help of given pedigree, find out the probability for the birth of a child having no disease and being a carrier (has the disease mutation in one allele of the gene) in F<sub>3</sub>



- (1) Zero (2) 1/4 (3) 1/2 (4) 1/8
- 105 Consider the following statements regarding function of adrenal medullary hormones:
  - A. It causes pupilary constriction
  - B. It is a hyperglycemic hormone
  - C. It causes piloerection
  - D. It increases strength of heart contraction Choose the **correct** answer from the options given below:
  - (1) D Only
  - (2) C and D Only
  - (3) B, C and D Only
  - (4) A, C and D Only
- 106 Which of the following is an example of a zygomorphic flower?
  - (1) Chilli
- (2) Petunia
- (3) Datura
- (4) Pea

- 107 Who proposed that the genetic code for amino acids should be made up of three nucleotides?
  - (1) Franklin Stahl
  - (2) George Gamow
  - (3) Francis Crick
  - (4) Jacque Monod
- 108 Given below are two statements:

Statement I: In ecosystem, there is unidirectional flow of energy of sun from producers to consumers.

Statement II: Ecosystems are exempted from 2<sup>nd</sup> law of thermodynamics.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but statement II is correct
- (2) Both statement I and statement II are correct
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect
- 109 Sweet potato and potato represent a certain type of evolution. Select the correct combination of terms to explain the evolution.
  - (1) Analogy, divergent
  - (2) Analogy, convergent
  - (3) Homology, divergent
  - (4) Homology, convergent
- All living members of the class Cyclostomata are:
  - (1) Ectoparasite (2) Free living
    - (3) Endoparasite (4) Symbiotic
- 111 Histones are enriched with -
  - (1) Phenylalanine & Arginine
  - (2) Lysine & Arginine
  - (3) Leucine & Lysine
  - (4) Phenylalanine & Leucine

Which one of the following equations represents the Verhulst-Pearl Logistic Growth of population?

(1) 
$$\frac{dN}{dt} = N \left( \frac{r - K}{K} \right)$$

(2) 
$$\frac{dN}{dt} = r \left( \frac{K - N}{K} \right)$$

(3) 
$$\frac{dN}{dt} = rN \left( \frac{K - N}{K} \right)$$

$$(4) \quad \frac{dN}{dt} = rN\left(\frac{N_{\text{CN}}}{N_{\text{CN}}}\right)$$

113 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

> Assertion (A): The primary function of the Golgi apparatus is to package the materials made by the endoplasmic reticulum and deliver it to intracetlular targets and outside the cell.

> Reason (R): Vesicles containing materials made by the endoplasmic reticulum fuse with the cis face of the Golgi apparatus, and they are modified and released from the trans face of the Golgi apparatus.

> In the light of the above statements, choose the correct answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is not the correct explanation of A
- (4) A is true but R is false

- Which of the following statements about RuBisCO is true?
  - (1) It catalyzes the carboxylation of RuBp
  - (2) It is active only in the dark.
  - (3) It has higher affinity for oxygen than carbon dioxide.
  - (4) It is an enzyme involved in the photolysis of water.
- Match List I with List II. 115

List - I

List - II

- A. Progesterone
- L. Pars intermedia
- B. Relaxin
- H. Ovary III. Adrenal
- C. Melanocyte stimulating hormone
- Medulla Medulla
- D. Catecholamines
- IV. Corpus luteum Choose the correct answer from the options

given below: (1) A-III, B-II, C-IV, D-I

- (2) A-IV, B-II, C-I, D-III
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-IV, C-I, D-III
- The protein portion of an enzyme is called: 116
  - (1) Prosthetic group
  - (2) Cofactor
  - 1 (3) Coenzyme Special Section
  - (4) Apoenzyme
- 1
- 117 Which of the following enzyme(s) are NOT essential for gene cloning?
  - Restriction enzymes
  - В. DNA ligase
- DNA mutase
- DNA recombinase
  - DNA polymerase

Choose the correct answer from the options given below: 1000

- (1) B and C only
- (2) C and D only
- (3) A and B only
- (4) D and E only

- Which of the following type of immunity is present at the time of birth and is a nonspecific type of defence in the human body?
  - (1) Humoral Immunity
  - (2) Acquired Immunity
  - (3) Innate Timmunity
  - (4) Cell-mediated Immunity
- Which factor is important for termination of 119 transcription?
  - (1)  $\gamma$  (gamma)
- (2)  $\alpha$  (alpha)
- (3)  $\sigma$  (sigma)
- p (rho)
- Which of the following hormones released from the pituitary is actually synthesized in the hypothalamus?
  - (1) Adenocorticotrophic hormone (ACTH)
  - (2) Luteinizing hormone (LH)
  - (3) Anti-diuretic hormone (ADH)
  - (4) Follicle-stimulating hormone (FSH)
- 121 Which of the following microbes is NOT involved in the preparation of household products?
  - A. Aspergillus niger
  - Lactobacillus В.
  - Trichoderma polysporum
  - Saccharomyces cerevisiae D.
  - Propionibacterium sharmanii

Choose the correct answer from the options given below:

- (1) C and E onl
- (2) A and Bonly
- (4) C and D only

Given below are two statements: Statement I: Fig fruit is a non-vegetarian fruit

as it has enclosed fig wasps in it. Statement II: Fig wasp and fig tree exhibit mutual relationship as fig wasp completes its

life cycle in fig fruit and fig fruit gets pollinated by fig wasp,

In the light of the above statements, choose the most appropriate answer from the options

- (1) Statement I is incorrect but statement II is correct
- (2). Both statement I and statement II are correct
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect
- Role of the water vascular system in 123 Echinoderms is:
  - Respiration and Locomotion
    - Excretion and Locomotion
    - Capture and transport of food
    - Digestion and Respiration
    - Digestion and Excretion

Choose the correct answer from the options given below:

- (1) B, D and E Only
- (2) A and B Only
- (3) A and C Only
- (4) B and C Only 47
- After maturation, in primary lymphoid organs, the lymphocytes migrate for interaction with antigens to secondary lymphoid organ(s) / tissue(s) like:
  - thymus
- bone marrow
- spleen
- lymph nodes
- Peyer's patches

Choose the correct answer from the options given below:

- (1) C, D, E only [1]
- (2) B, C, D only
- (3) A, B, C only
- (4) E, A, B only

	he given orally to div
125 Match List I with List II:	128 Why can't insulin be given orally to diabetic
List I List II	patients? (1) Its bioavailability will be increased
A. The Evil Quartet I. Cryopreservation	(1) Its bloavandown (2) Human body will elicit strong immune
B. Ex situ II. Alien species	ance (1)
conservation invasion	(2) If will be digested in Castro-Intesting
C. Lantons Q. III. Comment	(GI) tract
4	(4) Because of structural variation
camara biodiversity	50.75
D Dodo S W Footbacker	129 Which one of the following is the characteristic
D. Dodo IV. Extinction	C mmnosperms;
Choose the option with all correct matches.	(1) Gymnosperms have nowers for
(1) A-III, B-II, C-IV, D-I	reproduction.
(2) A-III, B-II, C-I, D-IV	(2) Seeds are enclosed in fruits.
(3) A-III, B-I, C-II, D-IV	(3) Seeds are naked.
(4) A-III, B-IV, C-II, D-I	(4) Seeds are absent.
m	130 Frogs respire in water by skin and bucca
126 Read the following statements on plant growth	cavity and on land by skin, buccal cavity and
and development.	
<ol> <li>Parthenocarpy can be induced by auxins.</li> </ol>	Choose the correct answer from the
B. Plant growth regulators can be involved	following:
in promotion as well as inhibition of	(1) The statement is false for both the
growth.	environment
C. Dedifferentiation is a pre-requisite for re-	(2) The statement is true for water but false
differentiation.	for land
D. Abscisic acid is a plant growth promoter.	(3) The statement is true for both the
E. Apical dominance promotes the growth of	environment
lateral buds.	(4) The statement is false for water but true
Choose the option with all correct statements.	for land
(1) B, D, E only (2) A, B, C only	
(3) A, C, E only (4) A, D, E only	131 Silencing of specific mRNA is possible via
α , , , , , , , , , , , , , , , , , , ,	RNAi because of -
127 Match List I with List II.	(1) Non-complementary ssRNA
Tind T	(2) Complementary dsRNA
***	(3) Inhibitory ssRNA
A. Pteridophyte	(4) Complementary tRNA
B. Bryophyte II. Ginkgo	122 To
C. Angiosperm III. Polytrichum	Twins are born to a family that lives next doo
D. Gymnosperm IV. Salvinia	to you. The twins are a boy and a girl. Which
Choose the option with all correct matches.	of the following must be true?
(1) A-IV, B-III, C-II, D-I	(1) They have 75% identical genetic content
(2) A-III, B-IV, CEII, D-I	<ul><li>(2) They are monozygotic twins.</li><li>(3) They are fraternal twins.</li></ul>
(3) A-IV, B-III, C-I, D-II	The state of the s
(4) A-III, B-IV, C-1, D-II	foutility of
(1) 11111, 111, 111	fertilization.
47_English ] 22	
	[Contd.

133	Match List I with List II:	1 1 1 446	Cardiac activities of the heart are regulated by:
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	List 1 List 1	136	Cardiac activities of the
	A Contollum (1)	_	A. Nodal tissue
	O Persis	A III	B. A special neural centre in the medulla
	nucel	1	B. A special neural central
	B. Non-albuminous II. Cotyle	edon of	oblongata
	seed Mone	cot seed	C. Adrenal medullary hormones
	C. Epiblast III. Groun	ndnut	No.
	D. Perisperm IV. Rudir		D. Adrenal cortical hormones
	cotyle		Choose the correct answer from the options
	Choose the option with all correct		given below:
	(1) A-II, B-IV, C-III, D-I	materies.	/
	(2) A-II, B-III, C-1V, D-1		(1) A, B and D Only
	(3) A-IV, B-III, C-II, D-I		(2) A, B and C Only
	0.1		
	(4) A-IV, B-III, C-II D-II		(3) A, B, C and D
	7		(4) A, C and D Only
134	In frog, the Renal portal system i	s a special	generally 1
	venous connection that acts to link	_	
	(1) Kidney and lower part of bod	137	Streptokinase produced by bacterium
	(2) Liver and intestine		Streptococcus is used for
	(3) Liver and kidney		(1) Removing clots from blood vessels
	(4) Kidney and intestine		(1) Removing closs from blood reserving
			(2) Curd production
135	Match List - I with List - II.		
	List - I CO L	ist - II	(3) Ethanol production
	A. Heart I. Erythr	opoietin	(4) Liver disease treatment
,	B. Kidney II. Aldost	terone	and the second s
		natriuretic	
	tract factor	138	Who is known as the father of Ecology in
	- 10 100 IV Corret	in	India?
	D. Autonal Content		(1) Birbal Sahni
	Choose the <b>correct</b> answer from given below:	the options	(1) Broat Saint
	* * **	- T-1	(2) S. R. Kashyap
	(1) A-III, B-I, C-IV, D-II	to the second	(3) Ramdeo Mista
	(2) A-II, B-I, C-III, D-IV		(3) Kamuco Wista
	(3) A-IV, B-III, G-II, D-I		(4) Ram Udar
	(4) A-I, B-III, C-IV, D-II		
47 English I			

Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): A typical unfertilised, angiosperm embryo sac at maturity is 8 nucleate and 7-celled.

Reason (R): The egg apparatus has 2 polar nuclei.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is NOT the correct explanation of A
- (4) A is true but R is false
- 140 Neoplastic characteristics of cells refer to:
  - A. A mass of proliferating cell
  - Rapid growth of cells
  - C. Invasion and damage to the surrounding tissue
  - Those confined to original location D. Choose the correct answer from the options given below:
  - (1) B, C, D only (2) A, B only
  - (3) A, B, C only (4) A, B, D only
- 141 Given below are the stages in the life cycle of pteridophytes. Arrange the following stages in the correct sequence.
  - A. Prothallus stage
  - Meiosis in spore mother cells
  - Fertilisation
  - D. Formation of archegonia and antheridia in gametophyte.
  - Transfer of antherozoids to the archegonia in presence of water.

Choose the correct answer from the options given below:

- (1) E, D, C, B, A
- (2) B, A, D, E, C
  - (3) B, A, E, C, D
  - (4) D, E, C, A, B

Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R). Assertion (A): Both wind and water

pollinated flowers are not very colourful and do not produce nectar.

Reason (R): The flowers produce enormous amount of pollen grains in wind and water pollinated flowers.

In the light of the above statements, choose the correct answer from the options given below.

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is NOT the correct explanation of A

T

M

- (4) A is true but R is false
- Which one of the following enzymes contains 143 'Haem' as the prosthetic group? T
  - (1) Catalase
  - (2) RuBisCo
  - (3) Carbonic anhydrase
  - (4) Succinate dehydrogenase
- 144 Match List - I with List - II.

List - I List - II

- Rapid spasms in muscle A. Emphysema I. due to low Ca++ in body fluid
- B. Angina II. Damaged alveolar **Pectoris** walls and decreased respiratory surface
- C. Glomerulo-III. Acute chest pain when nephritis not enough oxygen is reaching to heart muscle
- D. Tetany IV. Inflammation of glomeruli of kidney

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-I, C-IV, D-II
- (3) A-III, B-I, C-II, D-IV
- (4) A-II, B-IV, C-III, D-I

4

med

- Find the statement that is NOT correct with regard to the structure of monocot stem.
  - (1) Phloem parenchyma is absent.
  - (2) Hypodermis is parenchymatous.
  - (3) Vascular bundles are scattered.
  - (4) Vascular bundles are conjoint and closed.
- Which of the following statement is correct about location of the male frog copulatory pad?
  - (1) First digit of the fore limb
  - (2) First and Second digit of fore limb
  - (3) First digit of hind limb
  - (4) Second digit of fore limb
- 147 Given below are two statements:

Statement I: The primary source of energy in an ecosystem is solar energy.

Statement II: The rate of production of organic matter during photosynthesis in an ecosystem is called net primary productivity (NPP).

In the light of the above statements, choose the **most appropriate** answer from the options given below:


- (1) Statement I is incorrect but statement II is correct
- (2) Both statement I and statement II are correct
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect

148 Identify the part of a bio-reactor which is used as a foam braker from the given figure.

11

性骨

girn:



- (1) C
- (2) A
- (3) B
- (4) D
- 149 Polymerase chain reaction (PCR) amplifies DNA following the equation.
  - (1)  $2N^2$
- (2)  $N^2$
- $(3) 2^{r}$
- (4) 2n + 1
- 150 Match List I with List II.

List - I

List - II

- A. Head
- I. Enzymes
- B. Middle piece
- II. Sperm motility
- C. Acrosome
- III. Energy
- D. Tail
- IV. Genetic material

is a

110001

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) AH B. B. D. H.
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-IV, C-II, D-I

151 Given below are two statements:

Statement 1: In a floral formula  $\oplus$  stands for zygomorphic nature of the flower, and  $\underline{G}$  stands for inferior ovary.

Statement II: In a floral formula  $\oplus$  stands for actinomorphic nature of the flower and  $\underline{G}$  stands for superior ovary.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect
- 152 From the statements given below choose the correct option:
  - A. The eukaryotic ribosomes are 80S and prokaryotic ribosomes are 70S.
  - B. Each ribosome has two sub-units.
  - C. The two sub-units of 80S ribosome are 60S and 40S while that of 70S are 50S and 30S.
  - D. The two sub-units of 80S ribosome are 60S and 20S and that of 70S are 50S and 20S.
  - E. The two sub-units of 80S are 60S and 30S and that of 70S are 50S and 30S.
  - (1) B, D, E are true
  - (2) A, B, C are true
  - (3) A, B, D are true
  - (4) A, B, E are true

- Each of the following characteristics represent a Kingdom proposed by Whittaker. Arrange the following in increasing order of complexity of body organization.
  - Multicellular heterotrophs with cell wall made of chitin.
  - B. Heterotrophs with tissue/organ/organ system level of body organization.
  - C. Prokaryotes with cell wall made of polysaccharides and amino acids.
  - D. Eukaryotic autotrophs with tissue/organ level of body organization.
  - E. Eukaryotes with cellular body organization.

Choose the correct answer from the options given below

- (1) C, E, A, B, D
- (2) A, C, E, B, D
- (3) C, E, A, D, B
- (4) A, C, E, D, B
- 154 The correct sequence of events in the life cycle of bryophytes is
  - A. Fusion of antherozoid with egg.
  - B. Attachment of gametophyte to substratum.
  - C. Reduction division to produce haploid spores.
  - D. Formation of sporophyte.
  - E. Release of antherozoids into water.

Choose the correct answer from the options given below

- (1) D, E, A, B, C
- (2) D, E, A, C, B
- (3) B, E, A, C, D
- (4) B, E, A, D, C

## Which are correct:

- A. Computed tomography and magnetic resonance imaging detect cancers of internal organs.
- B. Chemotherapeutics drugs are used to kill non-cancerous cells.
- C. α -interferon activate the cancer patients' immune system and helps in destroying the tumour.
- D. Chemotherapeutic drugs are biological response modifiers.
- E. In the case of leukaemia blood cell counts are decreased.

Choose the correct answer from the options given below:

- (1) A and C only (2) B and D only
- (3) D and E only (4) C and D only
- 156 Name the class of enzyme that usually catalyze the following reaction:

$$S - G + S^{\#} \rightarrow S + S^{\#} - G$$

Where,  $G \rightarrow a$  group other than hydrogen  $S \rightarrow a$  substrate

 $S^{\#} \rightarrow$  another substrate

- (1) Ligase
- (2) Hydrolase
- (3) Lyase
- (4) Transferase

## 157 Find the correct statements:

- A. In human pregnancy, the major organ systems are formed at the end of 12 weeks.
- B. In human pregnancy the major organ systems are formed at the end of 8 weeks.
- C. In human pregnancy heart is formed after one month of gestation.
- D. In human pregnancy, limbs and digits develop by the end of second month.
- In human pregnancy the appearance of hair is usually observed in the fifth month.

Choose the correct answer from the options given below:

- (1) A, C, D and E Only
- (2) A and E Only
- (3) B and C Only
- (4) B, C, D and E Only

- Which of the following is an example of nondistilled alcoholic beverage produced by yeast? 158
  - (1) Rum
- (2) Whisky
- (3) Brandy
- (4) Beer

## Given below are two statements: 159

Statement I: In the RNA world, RNA is considered the first genetic material evolved to carry out essential life processes. RNA acts as a genetic material and also as a catalyst for some important biochemical reactions in living systems. Being reactive, RNA is unstable.

Statement II: DNA evolved from RNA and is a more stable genetic material. Its double helical strands being complementary, resist changes by evolving repairing mechanism.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but statement II is correct
- (2) Both statement I and statement II are correct
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect

## Given below are two statements: 160


Statement I: Transfer RNAs and ribosomal RNA do not interact with mRNA.


Statement II: RNA interference (RNAi) takes place in all eukaryotic organisms as a method of cellular defence.


In the light of the above statements, choose the most appropriate answer from the options given below:


- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect

Which of the following diagrams is correct with regard to the proximal (P) and distal (D) tubule of the Nephron.









- What is the pattern of inheritance for polygenic trait?
  - (1) X-linked recessive inheritance pattern
  - (2) Mendelian inheritance pattern
  - (3) Non-mendelian inheritance pattern
  - (4) Autosomal dominant pattern
- In the seeds of cereals, the outer covering of endosperm separates the embryo by a proteinrich layer called:
  - (1) Aleurone layer
  - (2) Coleoptile
  - (3) Coleorhiza
  - (4) Integument

164 Match List I with List II:

List I

- Chlorophyll a 1. Yellow-green
- A. Chlorophyll b II. Yellow
- B. Chlorophylls
  C. Xanthophylls III. Blue-green
- C. Xanthophyris
  D. Carotenoids IV. Yellow to
  Yellow-orange

Choose the option with all correct matches.

- (1) A-I, B-IV, C-III, D-II
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-I, C-II, D-IV
- (4) A-I, B-II, C-IV, D-III
- Which of the following genetically engineered organisms was used by Eli Lilly to prepare human insulin?
  - (1) Phage
- (2) Bacterium

200-14

- (3) Yeast
- (4) Virus
- 166 Which of the following are the posttranscriptional events in an eukaryotic cell?
  - A. Transport of pre-mRNA to cytoplasm prior to splicing.
  - B. Removal of introns and joining of exons.
  - C. Addition of methyl group at 5' end of hnRNA.
  - D. Addition of adenine residues at 3' end of hnRNA.
  - E. Base pairing of two complementary RNAs.

Choose the correct answer from the options given below:

- (1) C, D, E only
- (2) A, B, C only
- (3) B, C, D only
- (4) B, C, E only

1

## 167 Match List - I with List - II.

## List . 1

## Lint . II

- A. Centromere
- Mitochendrien
- p. Cillum
- II. Cell division
- C. Chistne
- III. Cell movement
- D. Cell membrane
- IV. Phospholipid Bilayer

Choose the correct answer from the options given below:

- (1) AH, BHI, CH, DIV
- (2) 441; HIII, T. III, 13-14
- III-HARDAMINGHO (1)
- (4) A-IV, B-II, C-III, D-I

## 168 Match List I with List II :

## Listal

#### List-II

I.

- A. Alfred Hershey and Martha
- Streptococcus pneumoniae
- B. Euchromatin

Chase

- II. Densely packed and dark-stained
- C. Frederick Griffith
- III. Loosely packed and light-stained
- D. Heterochromatin

C

IV. DNA as genetic material

confirmation


Choose the correct answer from the options given below:

- (1) A<sub>E</sub>HI, B<sub>E</sub>II, C<sub>E</sub>IV, D<sub>E</sub>I
- (2) AII, B-IV, C-I, D-III
- (3) A=IV, B=II, C=I, D=III
- (4) A-IV, B-III, C-I, D-II
- 169 Which chromosome in the human genome has the highest number of genes?
  - (1) Chromosome 10
  - (2) Chromosome X
  - (3) Chromosome Y
  - (4) Chromosome 1

- 170 What are the potential drawbacks in adoption of the IVF method?
  - A. High fatality risk to mother
  - B. Expensive instruments and reagents
  - C. Husband/wife necessary for being donors
  - D. Less adoption of orphans
  - E. Not available in India
  - F. Possibility that the early embryo does not survive

Choose the correct answer from the options given below: (1)

- (1) A, B, C, E, F only
- (2) B, D, F only
- (3) A, C, D, F only
- (4) A, B, C, D only
- Which one of the following is an example of ex-situ conservation?
  - (1) Protected areas
  - (2) National Park
  - (3) Wildlife Sanctuary
  - (4) Zoos and botanical gardens
- 172 A specialised membranous structure in a prokaryotic cell which helps in cell wall formation, DNA replication and respiration is:
  - (1') Endoplasmic Reticulum
  - (2) Mesosome
  - (3) Chromatophores
  - (4) Cristae



In the above represented plasmid an alien piece of DNA is inserted at EcoRI site. Which of the following strategies will be chosen to select the recombinant colonies?

- (1) Blue color colonies grown on ampicillin plates can be selected.
- (2) Using ampicillin & tetracyclin containing medium plate.
- (3) Blue color colonies will be selected.
- (4) White color colonies will be selected.
- 174 What is the name of the blood vessel that carries deoxygenated blood from the body to the heart in a frog?
  - (1) Vena cava
  - (2) Aorta
  - (3) Pulmonary artery
  - (4) Pulmonary vein
- 175 Which of following organisms cannot fix nitrogen?
  - A. Azotobacter
- B. Oscillatoria
- C. Anabaena
- D. Volvox
- E. Nostoc

Choose the *correct* answer from the options given below:

- (1) E only
- (2) A only
- (3) D only
- (4) B only
- 47\_English |

- While trying to find out the characteristic of a newly found animal, a researcher did the histology of adult animal and observed a cavity with presence of mesodermal tissue towards the body wall but no mesodermal tissue was observed towards the alimentary canal. What could be the possible coelome of that animal?
  - (1) Spongocoelomate
  - (2) Acoelomate
  - (3) Pseudocoelomate
  - (4) Schizocoelomate
- 177 Which one of the following statements refers to Reductionist Biology?
  - (1) Behavioural approach to study and understand living organisms.
  - (2) Physico-chemical approach to study and understand living organisms.
  - (3) Physiological approach to study and understand living organisms.
  - (4) Chemical approach to study and understand living organisms.
- 178 Epiphytes that are growing on a mango branch is an example of which of the following?
  - (1) Amensalism
- (2) Commensalism

10:91

117

post

- (3) Mutualism
- (4) Predation
- Which one of the following phytohormones promotes nutrient mobilization which helps in the delay of leaf senescence in plants?
  - (1) Cytokinin
- (2) Ethylene
- (3) Abscisic acid
- (4) Gibberellin
- 180 The complex II of mitochondrial electron transport chain is also known as
  - (1) NADH dehydrogenase
  - (2) Cytochrome bc<sub>1</sub>
  - (3) Succinate dehydrogenase
  - (4) Cytochrome c oxidase

[ Contd...